



# COMPANY

## ON VANGUARD FOR THE AUTOMOTION CHEMISTRY



The ALVAGAR group with its AUTO-GAR® brand has been dedicated for more than 20 years to the manufacture, packaging and sale of vanguard chemicals for the automotive sector nationally and internationally.

We have our own R & D & I department that offers effective solutions to every requests from our partners and clients, forging a close relationship with them.

Our laboratory is in continuous development, offering new solutions and products that improve performance and extend the useful life of any vehicle. Also guaranteeing a modern packaging system and the adaptation for our products, always complying with rigorous environmental and quality commitments.

Our professional experience, the great technological effort and the dynamism of our entire team, has made possible in recent years the expansion and consolidation of our company internationally.

## QUALITY POLICY AND CERTIFICATES

ALVAGAR GRUPO is accredited with the ISO 9001-2015 and ISO 14001-2015 regulations.

Our products comply with all quality control processes, with the sole purpose of providing confidence and solutions to all our customers.

## EU MANUFACTURING

AUTO-GAR® products are manufactured in the European Union and comply with all the quality and safety certificates established by EU regulations.






# TMF 2000<sup>®</sup> TREATMENT, PATENTED PRODUCT

TMF 2000<sup>®</sup> is our star product. It is a friction modifying treatment, active on the surface, its molecules are associated to metal surfaces through their polar terminations, improving the friction coefficient and the efficiency of the lubricant. Its metalphilic polar head and oleophilic tail guarantee its effect in areas of extreme friction.

Our clients choose TMF 2000<sup>®</sup> for:


- Reduces friction between metal parts
- Reduces wear (more than 70%)
- Reduces internal temperature (up to 30%)
- Optimize energy consumption
- Reduces fuel consumption (between 4-7%)
- Extends the lifetime of the motor (tripling its useful life)



## “A Top Brand”

Products RECOMMENDED by:

- Jorge Martínez “Aspar”  
4 times Motorcycling World Champion  
Aspar Team Director





# ADDITIVES AND TREATMENTS





## LUBRICATION SYSTEM



NAME

DESCRIPTION

FORMAT



**AG TMF 2000 G**  
**ANTI-FRICTION**  
**ENGINE TREATMENT**



Metal conditioner and treatment.  
Anti friction treatment for engines.  
It reduces wear within the engine up to 70%.  
It improves internal lubrication.  
It reduces internal temperature.  
It improves compression and increases power.  
It reduces the temperature and decreases fuel consumption.  
Useful life from of 80,000 to 100,000 km, or 1500 - 2000 hours of working life.

Ref.	Format
12000	12 x 250 ml
12001	6 x 1 L
12002	4 x 5 L



**AG TMF 2000 TM G**  
**ANTI-FRICTION**  
**MANUAL**  
**TRANSMISSIONS**



Treatment and metallic conditioner.  
Anti-friction treatment for manual gearboxes.  
It reduces friction and wear on gears up to 70%.  
It guarantees the best response and synchronization in all gear changes.  
It is capable of withstanding extreme loads and high pressures.  
It reduces the working oil temperature.

Ref.	Format
12131	12 x 250 ml
12132	6 x 1 L
12133	4 x 5 L



**AG TMF 2000 TA G**  
**ANTI-FRICTION**  
**AUTOMATIC**  
**TRANSMISSIONS**



Anti-friction treatment for automatic gearboxes.  
It reduces friction and internal wear up to 70%.  
It is compatible with any type of oil for automatic changes.

Ref.	Format
12135	12 x 250 ml
12136	6 x 1 L
12137	4 x 5 L



**AG 2006 G**  
**OIL STOP**  
**LEAKS**



High efficiency additive to eliminate small oil leaks.  
It rejuvenates old gaskets and seals that have hardened.  
It does not clog oil filters and ducts.  
It is compatible with all types of existing oils in the market.  
It has an excellent lubricating power.

Ref.	Format
12006	12 x 250 ml
12007	6 x 1 L
12008	4 x 5 L



**AG 2007 G**  
**INTERNAL**  
**ENGINES**  
**CLEANER**



Detergent base additive for internal engines cleaning (diesel and petrol).  
It removes sludge, varnish and dirt accumulated in the internal parts of the engine.  
It contains extreme pressure lubricant additives.  
It keeps the engine clean because it prolongs the oil life.  
It has an excellent behavior with automatic gearboxes.

Ref.	Format
12013	12 x 250 ml
12014	6 x 1 L
12015	4 x 5 L

# ADDITIVES AND TREATMENTS

## LUBRICATION SYSTEM

NAME

DESCRIPTION

FORMAT



**AG 2009 G**  
**ANTI-SMOKE**  
**FOR OIL**



Anti-smoke treatment for oil.  
It reduces exhaust emissions and fumes.  
It stabilizes oil viscosity in front of the temperature.  
It improves compression inside the engine.  
It reduce excessive oil consumption.

Ref.	Format
12150	12 x 250 ml
12151	6 x 1 L



**AG 2010 G**  
**HYDRAULIC**  
**STEERING**  
**CONDITIONER**



Conditioner treatment of hydraulic steering.  
It revitalizes all the system's plastic parts : seals, oil seals, etc., removing small leaks.  
It decreases noises and whistles in the steering system.  
It avoids internal wear.

Ref.	Format
12148	12 x 250 ml
12149	6 x 1 L



**AG 2011 G**  
**HYDRAULIC**  
**VALVES**  
**TREATMENT**



High performance treatment for hydraulic valves.  
It optimizes the pressure of the hydraulic plugs.  
It reduces noise and tapping of valves.  
It release the hydraulic plugs that have stuck.

Ref.	Format
12152	12 x 250 ml
12153	6 x 1 L



**AG TMF 2000 GR**  
**MULTIPURPOSE**  
**GREASE WITH**  
**ANTI-FRICTION**  
**TREATMENT**



Very high performance lubricating grease.  
Our TMF 2000 (antifricion treatment) is incorporated into its formulation.  
It has a good behavior with high temperatures.  
It has excellent resistance to loads and vibrations.  
It is ideal for all types of bearings in heavy vehicles, agricultural machinery, public works, etc.

Ref.	Format
12094	25 x 400 gr
12095	1 x 5 Kg



## INJECTION COMBUSTION SYSTEM

### NAME

### DESCRIPTION

### FORMAT



**AG 2050 G**  
**STOP SMOKE**  
**DIESEL TREATMENT**



Optimal treatment to prepare diesel vehicles for being inspected.  
Fuel's water is substantially removed.  
It reduces black smokes and exhaust emissions caused by bad combustion.  
It is an excellent lubricant protection for all the system.

Ref.	Format
12027	12 x 400 ml
12082	6 x 1 L



**AG 2051 G**  
**STOP SMOKE**  
**GASOLINE**  
**TREATMENT**



Optimal treatment to prepare petrol vehicles for being inspected.  
Petrol's water is substantially removed.  
It reduces smokes and exhaust emissions caused by bad combustion.  
It is an excellent lubricant protection for all the system.

Ref.	Format
12040	12 x 400 ml
12041	6 x 1 L



**AG 2052 G**  
**DIESEL**  
**INJECTORS**  
**CLEANER**



High performance additive for cleaning injectors in diesel cars.  
It eliminates carbon deposits and varnishes from injectors.  
It improves combustion and engine performance.  
It emulsifies water with fuel.  
It reduces exhaust emissions.  
It is an excellent lubricant protection.

Ref.	Format
12045	12 x 400 ml
12046	6 x 1 L



**AG 2053 G**  
**GASOLINE**  
**INJECTORS**  
**CLEANER**



High performance additive for cleaning injectors in petrol cars.  
It eliminates deposits and varnishes from injectors improving the combustion and engine performance.  
It emulsifies water with fuel.  
It reduces exhaust emissions.  
It is an excellent lubricant protection.

Ref.	Format
12083	12 x 400 ml
12084	6 x 1 L



**AG 2054 G**  
**DIESEL**  
**CETANE BOOSTER**



Additive cetane index booster and diesel enhancer.  
It improves the combustion of diesel.  
It reduces knocking, noise and misfires.  
It gets the vehicle works much smoother and quieter.  
It reduces fuel consumption.  
It has an excellent lubricating power.

Ref.	Format
12167	12 x 200 ml
12139	6 x 1 L

# ADDITIVES AND TREATMENTS

## INJECTION COMBUSTION SYSTEM

### NAME

### DESCRIPTION

### FORMAT



#### AG 2056 G

#### PREVENTIVE CLEANING FOR THE PARTICULATE FILTER



Preventive treatment for cleaning particulate filter (DPF - FAP).

It reduces the combustion temperature of diesel oil, facilitating a better elimination of particles that remain in the filter without burning.

It optimizes power loss.

It is compatible with all types of engines and fuel.

It has an excellent lubricating power.

Ref.	Format
12088	12 x 400 ml
12089	6 x 1 L



#### AG 2057 G

#### CATALYSTS CLEANER



Additive for cleaning catalysts in petrol and hybrids engines.

It eliminates oil and carbon deposits without burning. It optimizes the air-fuel ratio.

It improves fuel efficiency.

It has an excellent lubricating power.

Ref.	Format
12146	12 x 250 ml
12147	6 x 1 L



#### AG 2058 G

#### INJECTION CLEANING IN VEHICLES WITH GLP OR GNC



High efficiency additive for cleaning injection in vehicles converted to LPG or CNG (Diesel or petrol).

It reduces harmful emissions.

It has an excellent lubricating power.

Ref.	Format
12145	12 x 250 ml



#### AG 2059 G


#### ANTI-BACTERIAL FOR DIESEL

Biocidal treatment for all types of diesel fuel (Diesel A, B and C, fuel oil, biodiesel...).

All types of microbial contamination generated at the interface "Gasoil-Water" inside any deposit is eliminated in 36 hours as a maximum.

Low toxicity and high biodegradability treatment.

Ref.	Format
12020	6 x 1 L
12021	4 x 5 L



#### AG 2060 G

#### FUEL ANTIFREEZE

Antifreeze additive for diesel fuel.

It lowers the diesel freezing point.




It delays the appearance of paraffin crystals avoiding the sealing of filters.

It guarantees the correct work of the engine at low temperatures.



Ref.	Format
12050	6 x 1 L
12051	4 x 5 L





## ADMISSION SYSTEM


NAME	DESCRIPTION	FORMAT						
 <p><b>AG 2101 G</b> <b>DIRECT CLEANER FOR DPF-FAP</b></p>	<p>Vigorous cleaning treatment of the diesel particulate filter (DPF - FAP). Direct and economical filter cleaning. It is compatible with all filter metal parts. We recommend using our Power - Spray applicator.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12077</td> <td>12 x 1 L</td> </tr> <tr> <td>12078</td> <td>4 x 5 L</td> </tr> </tbody> </table>	Ref.	Format	12077	12 x 1 L	12078	4 x 5 L
Ref.	Format							
12077	12 x 1 L							
12078	4 x 5 L							
 <p><b>AG 2102 G</b> <b>NEUTRALIZER FOR DPF-FAP</b></p>	<p>Special treatment for rinsing after cleaning with the AG 2101 G. It clarifies and neutralizes the alkalinity generated with cleaning. It avoids any type of oxidation inside the filter. We recommend using our Power - Spray applicator.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12163</td> <td>12 x 1 L</td> </tr> <tr> <td>12166</td> <td>4 x 5 L</td> </tr> </tbody> </table>	Ref.	Format	12163	12 x 1 L	12166	4 x 5 L
Ref.	Format							
12163	12 x 1 L							
12166	4 x 5 L							
 <p><b>AG 9000 POWER SPRAY</b> <b>DPF-FAP CLEANING APPLICATOR SPRAY</b></p>	<p>Pneumatic applicator for cleaning and subsequent rinsing of the particulate filter (DPF-FAP).</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12125</td> <td>1 unit</td> </tr> </tbody> </table>	Ref.	Format	12125	1 unit		
Ref.	Format							
12125	1 unit							


## COOLING CIRCUIT

NAME	DESCRIPTION	FORMAT						
 <p><b>AG 2150 G</b> <b>ANTI-LEAK FOR RADIATORS</b></p>	<p>Anti-leak treatment for radiators. It contains polymers and metallic substances in suspension to seal any pore inside the circuit. It acts quickly 5 - 10 minutes. It is compatible with all types of refrigerants.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12025</td> <td>12 x 400 ml</td> </tr> <tr> <td>12026</td> <td>6 x 1 L</td> </tr> </tbody> </table>	Ref.	Format	12025	12 x 400 ml	12026	6 x 1 L
Ref.	Format							
12025	12 x 400 ml							
12026	6 x 1 L							
 <p><b>AG 2152 G</b> <b>RADIATOR CLEANER</b></p>	<p>Internal cleaning additive in all types of radiators. The remains of oil and greases mixed with coolant are dissolved rapidly. Possible rust and lime scale inside the circuit are removed effectively. It improves coolant circulation and temperature transmission.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12171</td> <td>12 x 400 ml</td> </tr> <tr> <td>12112</td> <td>12 x 1 L</td> </tr> </tbody> </table>	Ref.	Format	12171	12 x 400 ml	12112	12 x 1 L
Ref.	Format							
12171	12 x 400 ml							
12112	12 x 1 L							

## TECHNICAL AEROSOLS

NAME	DESCRIPTION	FORMAT				
 <p><b>AG TMF 2000 S</b> <b>MULTI-LUBRICANT WITH ANTI-FRICTION TREATMENT</b></p> 	<p>Multi-application high performance lubricant spray formulated with TMF 2000. Anti-friction treatment Unlocking and super penetrating agent. It has an excellent antioxidant and moisture softening power.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12064</td> <td>12 x 400 ml</td> </tr> </tbody> </table>	Ref.	Format	12064	12 x 400 ml
Ref.	Format					
12064	12 x 400 ml					



NAME	DESCRIPTION	FORMAT				
 <p><b>AG 2103 S</b> <b>TURBO CLEANER</b></p>	<p>Decarbonising foam cleaner in spray to remove carbonaceous deposits inside the turbo. It is ideal for cleaning turbos of variable geometry. It is valid for petrol and diesel engines.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12056</td> <td>12 x 400 ml</td> </tr> </tbody> </table>	Ref.	Format	12056	12 x 400 ml
Ref.	Format					
12056	12 x 400 ml					


 <p><b>AG 2104 S</b> <b>INTAKE SYSTEM CLEANER (EGR VALVE)</b></p>	<p>High efficiency spray for cleaning EGR valve, through the intake. It improves valves tightness It optimizes engine performance.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12121</td> <td>12 x 400 ml</td> </tr> </tbody> </table>	Ref.	Format	12121	12 x 400 ml
Ref.	Format					
12121	12 x 400 ml					


NAME	DESCRIPTION	FORMAT				
 <p><b>AG 2065 S</b> <b>CHEMICAL EXTRACTOR FOR INJECTORS</b></p>	<p>Spray developed to facilitate the disassembly of injectors. It works by softening all the waste that are generated and deposited around the injectors, especially in diesel engines.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12055</td> <td>12 x 400 ml</td> </tr> </tbody> </table>	Ref.	Format	12055	12 x 400 ml
Ref.	Format					
12055	12 x 400 ml					




## TECHNICAL AEROSOLS

	NAME	DESCRIPTION	FORMAT	
	<p><b>AG 2012 S</b> <b>MULTIPURPOSE GREASE WITH PTFE</b></p>	<p>Multi-purpose synthetic grease spray with PTFE. It has excellent penetration. It does not come off or drip. It has good behavior with high temperatures. It prevents rust and corrosion. It has optimum behavior in contact with fresh or salt water.</p>	Ref.	Format
			12154	12 x 400 ml

	<p><b>AG 2013 S</b> <b>GREASE FOR BATTERY TERMINALS</b></p>	<p>Grease spray for battery terminals. It has excellent thermal and dielectric protection. It has heat, corrosion and acid resistant film. It prevents voltage losses in electrical connections.</p>	Ref.	Format
			12060	12 x 200 ml

	NAME	DESCRIPTION	FORMAT	
	<p><b>AG 2200 S</b> <b>AIR CONDITIONING CIRCUIT CLEANER</b></p>	<p>Foam spray to clean and sanitizing ducts. It combats bad odors effectively. It is especially recommended in cases of allergies. It prevents the formation of fungi and bacteria in ducts.</p>	Ref.	Format
			12067	12 x 400 ml

	<p><b>AG 2201 S</b> <b>CAR SANITIZER</b></p>	<p>Total discharge spray for cleaning and sanitizing cabins. It eliminates all kind of bad smells like sweat, tobacco, microorganisms, etc.</p>	Ref.	Format
			12066	12 x 200 ml

# CARE AND CLEANING



## GENERIC CLEANERS

### NAME

### DESCRIPTION

### FORMAT



**AG 2250 G**  
**CAR DEGREASER**



High performance concentrated degreaser.  
Ideal for exterior cleaning of very dirty engines and bodies before pressure washing.  
It admits dilutions up to 1 - 5 parts of water.  
It does not contain acids or solvents.  
100% biodegradable.

Ref.	Format
12211	12 x 750 ml
12212	4 x 5 L



**AG 2251 G**  
**WHEEL TYRES CLEANER**



Super cleaner for all types of tyres.  
It cleans, degreases and polishes removing all embedded black dirt.  
100% biodegradable.

Ref.	Format
12214	12 x 750 ml
12215	4 x 5 L



**AG 2252 G**  
**DASHBOARD CLEANER**



Rinse aid cleaner dashboard and all types of plastic surfaces inside the vehicle.  
It has been formulated with natural waxes.  
Silicone free.  
Pleasantly scented.  
100% biodegradable.

Ref.	Format
12217	12 x 750 ml
12218	4 x 5 L



**AG 2253 G**  
**TYRES PROTECTOR**



Special brightener and protector for all types of plastics and rubber.  
All treated parts recover the original color.  
Formulated with natural waxes.  
Silicone free.  
100% biodegradable.

Ref.	Format
12220	12 x 750 ml
12221	4 x 5 L

## GENERIC CLEANERS

NAME

DESCRIPTION

FORMAT



**AG 2254 G**

**TEXTILE  
CLEANER**



Energetic degreaser cleaner for upholstery, carpets and all types of interior fabrics.  
Pleasantly scented.  
100% biodegradable.

Ref.	Format
12223	12 x 750 ml
12224	4 x 5 L



**AG 2255 G**

**SHAMPOO  
WITH WAX**



Super concentrated shampoo for exterior cleaning of vehicles.  
It contains natural waxes and brighteners that rekindle body colors.  
Pleasantly scented manual cleaning.  
100% biodegradable.

Ref.	Format
12236	12 x 1 L
12237	4 x 5 L



**AG 2256 G**

**DRY CLEANER**



Super dry and brightener body cleaner (water free).  
It has been formulated with natural waxes that protect the paints from atmospheric agents like dust, ultraviolet light, water, etc.  
It is ideal for cleaning metallic colors.  
100% biodegradable.

Ref.	Format
12226	12 x 750 ml
12227	4 x 5 L



**AG 2257 G**

**INSECT  
REMOVER**






Energetic insect cleaner on: front, bumpers, rear-view mirrors, windshields, etc.  
The remains of insects are quickly softened and dissolved facilitating their subsequent cleaning with pressurized water.  
100% biodegradable.

Ref.	Format
12239	12 x 750 ml
12240	4 x 5 L



## SPECIAL TREATMENTS



NAME	DESCRIPTION	FORMAT					
 <p><b>AG 2300 G</b> <b>AUTO POLISHER</b></p>	<p>Special paste for polishing and brightening all types of chrome and metallic. It is ideal for removing marks and small scratches in metallic paint. It is neutral and biodegradable product.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12229</td> <td>24 x 200 ml</td> </tr> </tbody> </table>	Ref.	Format	12229	24 x 200 ml	
Ref.	Format						
12229	24 x 200 ml						
 <p><b>AG 2302 G</b> <b>PLASTIC RESTORER</b></p>	<p>Instant renovator of rubbers and plastics that have been damaged by the sun. Optimum results are obtained in all types of bumpers, rear-view mirrors and plastic trim of vehicles and motorcycles. It offers long protection and durability.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12242</td> <td>24 x 200 ml</td> </tr> </tbody> </table>	Ref.	Format	12242	24 x 200 ml	
Ref.	Format						
12242	24 x 200 ml						
 <p><b>AG 2304 G</b> <b>RAINWATER REPELLENT</b></p>	<p>Concentrated rainwater repellent. It improves visibility while driving in heavy rain.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12230</td> <td>24 x 200 ml</td> </tr> </tbody> </table>	Ref.	Format	12230	24 x 200 ml	
Ref.	Format						
12230	24 x 200 ml						

## SKIN AND LEATHER

NAME

DESCRIPTION

FORMAT



**AG 2350 G**

**LEATHER  
CLEANER**



Professional high performance cleaner for leather upholstery.  
Its detergent power dissolves and removes dirt without damaging or drying the leather.  
After cleaning apply our AG 2351 G nutrient and protector.  
100% biodegradable.

Ref.	Format
12231	24 x 200 ml



**AG 2351 G**

**LEATHER  
PROTECTOR**



High quality moisturizing and nourishing for leather.  
It prevents aging, giving the treated parts their natural shine.  
It is composed of natural waxes.  
100% biodegradable.

Ref.	Format
12232	24 x 200 ml

## ESSENCES AND FRAGRANCES



### NAME

### DESCRIPTION

### FORMAT



**AG 2400 G**  
**CONCENTRATED AIR FRESHENER**



Long-lasting concentrated air freshener for cars and enclosed spaces.  
It has been made with 100% natural essences.  
It has a sweet and enveloping aroma.  
100% biodegradable.

Ref.	Format
12233	24 x 200 ml



**AG 2401 G**  
**CONCENTRATED AIR FRESHENER**



Long-lasting concentrated air freshener for cars and enclosed spaces.  
It has been made with 100% natural essences.  
It has fresh aroma with fruity touches.  
100% biodegradable.

Ref.	Format
12234	24 x 200 ml







**AG 2402 G**  
**CONCENTRATED AIR FRESHENER**



Long-lasting concentrated air freshener for cars and enclosed spaces.  
It has been made with 100% natural essences.  
It has a nice aroma to new car.  
100% biodegradable.

Ref.	Format
12235	24 x 200 ml

## TECHNICAL AEROSOLS

	NAME	DESCRIPTION	FORMAT	
	<p><b>AG 2303 S</b> <b>HEADLIGHT RESTORER</b></p>	<p>Repair and restorative spray of headlights and polycarbonates that have been damaged by atmospheric agents. High gloss and fast drying. It does not yellow.</p>	<p>Ref. 12210</p>	<p>Format 12 x 400 ml</p>
	<p><b>AG 2259 S</b> <b>UPHOLSTERY CLEANER FOAM</b></p>	<p>Spray foam cleaner for upholstery. It cleans deeply all types of upholstery (fabric, vinyl, leather, etc.) It is pleasantly scented.</p>	<p>Ref. 12062</p>	<p>Format 12 x 400 ml</p>
	<p><b>AG 2300 S</b> <b>SPRAY CAR POLISHER</b></p>	<p>Spray for polishing all types of surfaces: chromed, stainless, metallic paints, etc. It returns the original brightness. It does not damage the paint.</p>	<p>Ref. 12065</p>	<p>Format 12 x 400 ml</p>
	<p><b>AG 2252 S</b> <b>DASHBOARD SPRAY</b></p>	<p>Dashboard cleaner spray and all types of plastic surface. Silicone free. It is pleasantly scented.</p>	<p>Ref. 12061</p>	<p>Format 12 x 400 ml</p>



## TECHNICAL AEROSOLS



	NAME	DESCRIPTION	FORMAT				
	<p><b>AG 2263 S</b> <b>MULTIPURPOSE CONCENTRATED DEGREASER</b></p>	<p>High performance concentrated degreasing spray. It dissolves all types of oils and fats. It has high wetting power. It does not damage plastics or rubber. It is ideal for all types of tools and metal surfaces in automotive.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12057</td> <td>12 x 500 ml</td> </tr> </tbody> </table>	Ref.	Format	12057	12 x 500 ml
Ref.	Format						
12057	12 x 500 ml						
	<p><b>AG 2261 S</b> <b>ELECTRICAL AND ELECTRONIC CONTACT CLEANER</b></p>	<p>Professional cleaning spray for electrical and electronic contacts. Quick drying free of residues. It does not damage plastics or rubber. It has great penetration power. It cleans and degreases all type of dirt.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12058</td> <td>12 x 500 ml</td> </tr> </tbody> </table>	Ref.	Format	12058	12 x 500 ml
Ref.	Format						
12058	12 x 500 ml						
	<p><b>AG 2264 S</b> <b>BRAKE CLEANER</b></p>	<p>Excellent spray degreasing cleaner for brake discs. Fast and total evaporation, free of residues. Multi-purpose degreaser in automotive.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12059</td> <td>12 x 500 ml</td> </tr> </tbody> </table>	Ref.	Format	12059	12 x 500 ml
Ref.	Format						
12059	12 x 500 ml						
	<p><b>AG 2269 S</b> <b>CONCENTRATED CAR BODY CLEANER</b></p>	<p>High performance cleaning spray to removing tar debris, breasts and asphalt from the car body. It has great degreasing power. It is easily rinsed with water.</p>	<table border="1"> <thead> <tr> <th>Ref.</th> <th>Format</th> </tr> </thead> <tbody> <tr> <td>12063</td> <td>12 x 400 ml</td> </tr> </tbody> </table>	Ref.	Format	12063	12 x 400 ml
Ref.	Format						
12063	12 x 400 ml						

▶ CARS

▶ BOATS

▶ TRUCKS

▶ WORKS MACHINERY

▶ FARM MACHINERY



## **LILOU TEAM S.L.U.**

Cami de la Lloma 18  
46960 ALDAIA  
VALENCIA (SPAIN)

+34 685 074 844  
info@lilou-team.com

[www.lilou-team.com](http://www.lilou-team.com)